

APPENDIX A
ILLUSTRATIONS

BUFFER AREA






ILLUSTRATION OF TYPES OF DWELLINGS




TOP VIEW




FRONT VIEW

FOURPLEX DWELLINGS




TOP VIEW




SIDE VIEW

TOWNHOUSE DWELLINGS




TOP VIEW




SIDE VIEW

MAISONETTE DWELLINGS




TOP VIEW




SIDE VIEW

APARTMENT DWELLINGS


ILLUSTRATIONS OF DWELLING TYPES



DETACHED UNIT




SEMI-DETACHED




DUPLEX

TRIPLEX



OR




LINK HOME DWELLING

One of a pair of single detached dwellings that have no apparent structural connection above grade and which are separated from its pair by a minimum of 1.2 metres, but which are horizontally coupled along a portion of the entire footing or foundation along not more than one side of each such home.




LOT LINE DESCRIPTIONS




EXAMPLES OF LOT DEFINITIONS



LOT FRONTAGE
NO REAR LOT LINE





LOT FRONTAGE
LOT LINES NOT PARALLEL




LOT DEPTH
FRONT & REAR LOT LINES ARE NOT PARALLEL




LOT DEPTH - NO REAR LOT LINE



LOT DEPTH FRONT AND REAR LOT LINES ARE PARALLEL



LOT CORNER
STRAIGHT SIDES



LOT CORNER
CURVED SIDES

DEFINITION OF YARD






ILLUSTRATION OF DEFINITIONS RELATED TO WATERFRONT LOTS



LOT LINE, FRONT

IN THE CASE OF A THROUGH WATERFRONT LOT, THE LONGEST SHORELINE SHALL BE DEEMED TO BE THE FRONT LOT LINE




LOT, THROUGH WATERFRONT

MEANS A LOT WHICH HAS WATER ACCESS ON MORE THAN ONE SHORELINE

LOT, STANDARD WATERFRONT


MEANS A LOT WHICH HAS WATER ACCESS ON ONE SHORELINE ONLY



LOT LINE, FRONT

IN THE CASE OF A STANDARD WATERFRONT LOT, THE SHORELINE SHALL BE DEEMED TO BE THE FRONT LOT LINE

ESTABLISHED BUILDING LINES



APPENDIX B
MINIMUM DISTANCE SEPARATION FORMULAS

MDS

Minimum Distance Separation (MDS) Formulae

Implementation Guidelines

Publication 707



IMPLEMENTATION GUIDELINES – MINIMUM DISTANCE SEPARATION FORMULAE

The following section outlines the specific implementation guidelines that need to be considered as part of the application and calculation of the Minimum Distance Separation (MDS) Formulae. To assist the user the implementation guidelines have been organized into six sections.

Implementation Guideline	MDS I	MDS II
--------------------------	-------	--------

General Rules and Application of the Minimum Distance Separation Formulae

The following implementation guidelines speak to some of the general rules regarding the MDS Formulae, and how they are to be referenced in planning documents and applied to land use applications and building permits. This section also highlights some of the specific instances where MDS Formulae are applied and exceptions where they are not applied.

1. Application of MDS and reference in municipal planning documents	MDS Formulae and criteria are to be referenced in official plans, included in zoning by-laws and applied in designations and zones where <i>livestock facilities</i> are a permitted use. MDS will be applied in Prime Agricultural Areas and Rural Areas as defined by the Provincial Policy Statement, 2005.	
2. What MDS <u>does</u> and <u>does not</u> apply to	MDS applies to <i>livestock facilities</i> . It does not apply to abattoirs, apiaries, assembly yards, fairgrounds, feed storages, field shade shelters, greenhouses, kennels, <i>livestock facilities</i> that are less than 10 m ² (108 ft ²) in floor area, machinery sheds, mushroom farms, pastures, slaughter houses, stockyards, or temporary field nutrient storage sites (as defined under the <i>Nutrient Management Act, 2002</i>).	
3. MDS and manure transfer facilities	Some <i>livestock facilities</i> require small facilities for holding some manure before transfer to long-term permanent storage, or transfer to field spreading areas, or transfer off the farm entirely. Examples include: small tanks inside or just outside the barn for settling out sand from liquid dairy manure; small sumps inside or just outside the barn for collection and/or mixing of liquid manure from several barn areas; or concrete pads at the end of chicken broiler barns where solid manure is pushed outside awaiting pickup by a trucker. These facilities should be considered as part of the barn and have the same MDS setbacks as the barn.	

Implementation Guideline	MDS I	MDS II
4. MDS and earthen <i>manure storages</i>	<p>MDS I is applied to earthen storages, despite the fact they are not considered to be a building.</p> <p>Best management practices recommend the MDS formula be followed for earthen <i>manure storages</i>, and this is backed up by the Provincial Policy Statement, 2005, '<i>New land uses, including the creation of lots and new or expanding livestock facilities shall comply with the minimum distance separation formulae</i>'.</p>	<p>MDS II is triggered when a building permit is required, but because earthen storages are not considered to be a building, they do not require a building permit. However, this does not exclude them from the requirement for siting according to the MDS formula.</p> <p>Best management practices recommend the MDS formula be followed for earthen <i>manure storages</i>, and this is backed up by the Provincial Policy Statement, 2005, '<i>New land uses, including the creation of lots and new or expanding livestock facilities shall comply with the minimum distance separation formulae</i>'.</p>
5. When are MDS Formulae implemented and applied?	<p>MDS I is applied at the time of planning and/or development review for proposed new development, such as <i>lot</i> creation, building permits for development on a <i>lot</i> in accordance with Implementation Guideline # 6, rezoning or redesignation of agricultural land to permit development, in proximity to <i>existing livestock facilities</i> on an existing or proposed separate parcel of land.</p>	<p>MDS II is applied at the time of building permit application to build a <i>first or expanded livestock facility</i>.</p>
6. MDS and surrounding development. When is MDS applied?	<p>MDS I is applied to all <i>livestock facilities</i> reasonably expected to be impacted by the proposed development, <i>lot</i> creation, rezoning or redesignation. For Type 'A' applications, apply MDS I for <i>livestock facilities</i> within a 1000 metre radius. For Type B application apply MDS I for <i>livestock facilities</i> within a 2000 metre radius.</p> <p>Separate MDS I calculations should be undertaken for each <i>livestock facility</i> located on a separate parcel of land. See Implementation Guidelines # 34 and # 35 for a discussion regarding Type 'A' and Type 'B' land uses.</p>	<p>MDS II is applied to all development reasonably expected to be impacted by the proposed <i>first or expanded livestock facility</i>.</p>

Implementation Guideline	MDS I	MDS II
<p>7. Application of MDS to development on existing <i>lots</i></p>	<p>Municipalities have the option, but are strongly encouraged to apply MDS I to development proposed through building permit on an existing <i>lot</i>. Construction of a <i>dwelling</i>, or other structures that are incompatible with <i>livestock facilities</i>, on an existing <i>lot</i> can have a very detrimental impact on the ability of surrounding agricultural operations to expand in the future, and often introduces a potential new source for nuisance complaints regarding odour from a <i>livestock facility</i>, that would generally not be allowed if the <i>lot</i> were to be created today. To address the potential negative impact of nuisance complaints to surrounding <i>livestock</i> operations from development on existing <i>lots</i>, municipalities are encouraged to undertake a thorough review of this issue at the next update of their municipal planning documents. Municipalities should consider approaches to address the future use and suitability of development on existing <i>lots</i>. The application of MDS I to development on existing <i>lots</i> will take its direction from the applicable municipal planning documents.</p>	<p>MDS II applies to <i>lot</i> lines.</p>
<p>8. MDS and Consent Applications</p>	<p>MDS I is applied to a proposed <i>lot</i>, vacant or with existing structures.</p> <p>Where a new <i>lot</i> is proposed with an existing <i>dwelling</i>, and that <i>dwelling</i> is already located on a <i>lot</i> separate from the subject <i>livestock facility</i>, MDS I is not applied as the potential odour conflict is already present between the neighbouring <i>livestock facility</i> and the existing dwelling. However, municipalities may choose to apply MDS I from the neighbouring <i>livestock facility</i> to a proposed <i>lot</i> with an existing <i>dwelling</i>. Direction to apply MDS I in these circumstances should be clearly indicated in the municipality's planning documents.</p> <p>MDS I is applied to a proposed <i>lot</i> with an existing <i>dwelling</i> when the <i>dwelling</i> is presently located on the same <i>lot</i> as the subject <i>livestock facility</i>.</p>	<p>N/A</p>

Implementation Guideline	MDS I	MDS II
9. MDS and Zoning By-Law Amendments	MDS I is applied when new development is proposed by way of a re-zoning in a zone where agriculture is a permitted use.	N/A
10. MDS and Official Plan Amendments	MDS I is applied to lands being considered for non-agricultural designation through the official plan amendment process.	N/A
11. Application of MDS after a <i>catastrophe</i>	Where municipalities apply MDS I to buildings or structures on an existing <i>lot</i> , municipalities have the option to not apply MDS I after a <i>catastrophe</i> that destroys part or all of a <i>dwelling</i> , providing the resulting new <i>dwelling</i> is built no closer to a <i>livestock facility</i> than before the <i>catastrophe</i> .	Municipalities have the option to not apply MDS II after a <i>catastrophe</i> that destroys part or all of a <i>livestock facility</i> , providing the resulting <i>livestock facility</i> is built no closer to a surrounding development than before the <i>catastrophe</i> . However, if rebuilding results in higher values for Factor A, B and/or D than before the <i>catastrophe</i> , then MDS II applies.
12. Existing uses that do not conform to MDS	MDS I is applied to new proposed development, even though there may be existing <i>non-agricultural uses</i> that do not conform to MDS I requirements. Where there are four, or more, existing non-farm uses closer to the subject <i>livestock facility</i> and in immediate proximity to the current application, MDS I will not be applied. The current application must not be located closer to the <i>livestock facility</i> than the four, or more, existing non-farm uses.	MDS II is measured from the proposed new construction of an <i>expanding livestock facility(ies)</i> even though there may be parts of the existing <i>livestock facility</i> , that do not conform.
13. Non-application of MDS to accessory structures	When a municipality applies MDS I to development on an existing <i>lot</i> , it is not applied to buildings and structures, accessory to a <i>dwelling</i> , such as decks, garages, gazebos, greenhouses, outbuildings, picnic areas, patios or sheds.	MDS II is not applied to buildings and structures, accessory to a <i>dwelling</i> on an adjacent <i>lot</i> , such as decks, garages, gazebos, greenhouses, outbuildings, picnic areas, patios or sheds.

Implementation Guideline	MDS I	MDS II
14. <i>Livestock occupied portions of livestock facilities</i>	MDS is not applied to portions of the <i>livestock facility</i> where <i>livestock</i> are not normally present for a long enough time for substantial amounts of manure to accumulate. For example, this includes feed bins, feed preparation areas, field shadeselters, <i>livestock</i> assembly areas, <i>livestock</i> loading chutes, machinery sheds, milking centres, offices, riding arenas, silos or washrooms.	
15. Setbacks - <i>dwelling</i> from <i>livestock facilities</i> , same <i>lot</i>	Neither MDS I nor MDS II are applied between a <i>dwelling</i> and a <i>livestock facility</i> located on the same <i>lot</i> .	
16. Ownership of adjacent land by same owner	MDS is applied regardless of the ownership of adjacent or adjoining legally separate <i>lots</i> . Ownership of adjacent or adjoining legally separate <i>lots</i> by the same owner does not prevent the application of MDS.	

Determining Livestock Facility Capacity

The following implementation guidelines provide direction on determining the capacity of a *livestock facility* for calculating MDS; as well as, direction on applying MDS to *empty livestock facilities*.

17. Obtaining Required <i>Livestock</i> Information from Owners	Information to be used in MDS calculations, (such as capacity of the <i>livestock facility</i> , type of <i>manure storage</i> , number of <i>tillable hectares</i> , etc..) should be obtained from the owner of an <i>existing</i> or <i>first livestock facility</i> . It may be necessary to independently verify the information received from the owner of the <i>livestock facility</i> to ensure accuracy of an MDS calculation.	
18. Smallest size of <i>livestock facility</i> for MDS	For the purposes of calculations, the smallest size of <i>livestock facility</i> is deemed to be five <i>Nutrient Units</i> , regardless if there are fewer <i>Nutrient Units</i> within the <i>livestock facility</i> , or not.	
19. Capacity of <i>livestock facilities</i> for MDS	MDS calculations shall be based on the maximum <i>livestock housing capacity</i> for all <i>livestock facilities</i> on a <i>lot</i> , even if the building is not currently used, but is structurally sound and reasonably capable of housing <i>livestock</i> . This also applies for permanent <i>manure storages</i> on <i>lots</i> where there is no <i>livestock</i> generating manure.	
20. Application of MDS to <i>empty livestock facilities</i>	MDS I applies to <i>empty livestock facilities</i> if they are structurally sound and reasonably capable of housing <i>livestock</i> , or storing manure. The MDS I calculation should be based on the most probable Factors A, B and D. The Ministry of Agriculture, Food and Rural Affairs may provide municipalities with additional information to guide them in this determination. See Implementation Guidelines # 25, 26 and 28 regarding Factors A, B and D.	MDS II applies to <i>empty livestock facilities</i> that are part of an <i>expanding livestock facility</i> if they are structurally sound and reasonably capable of housing <i>livestock</i> , or storing manure. The MDS II calculation should be based on the most probable Factors A, B and D.

continued...

Implementation Guideline	MDS I	MDS II
<p>20. Application of MDS to <i>empty livestock facilities</i></p> <p style="text-align: right;">continued...</p>		<p>continued...</p> <p>See Implementation Guidelines # 25, 26 and 28 regarding Factors A, B and D.</p> <p>However, <i>empty livestock facilities</i> can be excluded from MDS II calculations for <i>expanding livestock facilities</i> if a building permit is required for altering the facilities so they are no longer capable for the housing of <i>livestock</i> (or manure). Municipalities may consider other approaches which achieve the same objective.</p>

Anaerobic Digesters

The following implementation guidelines speak to issues related specifically to *anaerobic digesters*, such as determination of appropriate MDS factors, and setbacks for *co-substrate input tanks (CSIT)* and *anaerobic digesters (AD)*.

<p>21. Storages for <i>digestate</i> from an <i>anaerobic digester</i> and how to apply Factors B and C</p>	<p>When a <i>livestock facility</i> installs an <i>anaerobic digester (AD)</i>, some supplemental agricultural or non-agricultural materials may be imported to help boost biogas production. This means a larger storage for the resulting materials treated by the AD system is required.</p> <p>If an adjacent <i>livestock facility</i> has an AD system <u>and</u> there are imported supplemental materials, then for Factor B, use the greater of the NU capacity for <i>livestock</i> on the <i>lot</i>, versus the NU capacity of <u>all</u> storage volumes using 19.8 m³/NU (700 ft³/NU) from Table 1.</p> <p>For example, a 100 NU swine farm has an AD system and imports supplemental materials to boost biogas production. There is just one storage of 2,376 m³ capacity.</p> <p>For Factor B, this is 2,376 m³ ÷ 19.8 m³/NU = 120 NU, which is greater than 100 NU for swine. Use 120 NU in Table 2 to determine Factor B.</p>	<p>When a <i>livestock facility</i> installs an <i>anaerobic digester (AD)</i>, some supplemental agricultural or non-agricultural materials may be imported to help boost biogas production. This necessitates the need for larger storage for the resulting <i>digestate</i> from the AD system.</p> <p>In MDS II, for Factor B, use the greater of the NU capacity for <i>livestock</i> on the <i>lot</i>, versus the NU capacity of the proposed storage volume using 19.8 m³/NU (700 ft³/NU) from Table 1.</p> <p>For Factor C, use the increased NU capacity of the proposed storage volume compared to the NU capacity for the <i>livestock</i> on the <i>lot</i>.</p> <p style="text-align: right;">continued...</p>
---	--	--

Implementation Guideline	MDS I	MDS II
<p>21. Storages for <i>digestate</i> from an <i>anaerobic digester</i> and how to apply Factors B and C</p> <p style="text-align: right;">continued...</p>		<p>continued...</p> <p>For example, a 100 NU swine farm proposes to build 2,376 m³ of storage for manure and other imported materials treated by an AD system.</p> <p>For Factor B, this is $2,376 \text{ m}^3 \div 19.8 \text{ m}^3/\text{NU} = 120 \text{ NU}$, which is greater than 100 NU for swine. Use 120 NU in Table 2 to determine Factor B.</p> <p>For Factor C, the NU capacity of the proposed storage is 120 NU compared to 100 NU for swine. The increase is $120 \text{ NU} - 100 \text{ NU} = 20 \text{ NU}$, or $20 \text{ NU} / 100 \text{ NU} \times 100 = 20\%$. Use 20% in Table 3 to determine Factor C.</p>
<p>22. <i>Anaerobic digesters</i> and <i>co-substrate input tanks</i></p>	<p><i>Co-substrate input tanks (CSIT)</i> may be installed to store imported agricultural or non-agricultural materials prior to input into an <i>anaerobic digester (AD)</i>.</p> <p>The required MDS I separation from a <i>CSIT</i> and/or <i>AD</i> is 125 m regardless of size or type, and whether greater or lesser MDS I setbacks are calculated based on the <i>livestock</i> NU capacity or potential NU capacity based on <i>tillable hectares</i>.</p>	<p><i>Co-substrate input tanks (CSIT)</i> may be installed to store imported agricultural or non-agricultural materials prior to input into an <i>anaerobic digester (AD)</i>.</p> <p>The required MDS II separation from a <i>CSIT</i> and/or <i>AD</i>, regardless of size or type, is:</p> <ul style="list-style-type: none"> • 125 m for Type A land uses • 250 m for Type B land uses • 125 m to the nearest neighbour's house • 13 m to the nearest <i>lot</i> line • 25 m to the nearest road allowance

Implementation Guideline	MDS I	MDS II
--------------------------	-------	--------

MDS Formulae and Factors

The following implementation guidelines provide direction on the calculation of the MDS Formulae for MDS I and MDS II. In addition, they provide a brief summary of the Factors used to calculate MDS, and specific considerations related to the calculation.

23. Calculating building base distance, 'F'	F = Factor A x B x D x E (Note: Factor C <u>not</u> used in MDS I)	F = Factor A x B x C x D (Note: Factor E <u>not</u> used in MDS II)
24. Calculating permanent <i>manure storage</i> base distance, 'S'	'S' is <u>not</u> calculated, but read directly from Table 6 by first calculating the building base distance 'F', then choosing the new added 'Permanent Manure Storage Type' from Table 5.	
25. Storage base distances ('S') when F > 1000 metres	If 'F' > 1000 m, the Storage Base Distance 'S' is the same as the Building Base Distance, 'F' as noted in Table 6.	
26. Factor A - Odour Potential Factor	Factor A is based on the type of livestock and its relative potential for emanating offensive odours. The higher the Factor A, the higher the odour potential, and the higher the resulting MDS separation distances, all other things being equal. See Table 1.	
27. Factor B - <i>Nutrient Units</i> Factor	Factor B is based on the number, or equivalent number, of <i>Nutrient Units (NU)</i> in <i>housing capacity</i> at a <i>livestock facility</i> . The higher the number of NU, the higher the Factor B, and the higher the resulting MDS separation distances, all other things being equal. See Table 2. In determining Factor B, it may be required to interpolate a value from Table 2. Interpolated values for Factor B should not include more than two decimal places, and may need to be rounded accordingly.	
28. Factor C - Orderly Expansion Factor	Does not apply for MDS I	Factor C only applies for MDS II, and is based on the percentage increase in the number of NU for the proposed construction. The higher the percentage increase, the higher the Factor C, and the higher the resulting MDS II, all things being equal. Expansion of a <i>livestock facility</i> is a necessary and typical process for the economic development of most farm operations, and can reasonably be expected over time. <i>continued...</i>

Implementation Guideline	MDS I	MDS II
<p>28. Factor C - Orderly Expansion Factor</p> <p style="text-align: right;">continued...</p>		<p><i>continued...</i></p> <p>Factor C allows for future expansion. Factor C is the highest it can be for the <i>first livestock</i> building (or first permanent <i>manure storage</i> where no <i>livestock</i> are housed) on a <i>lot</i>, resulting in a building location that will allow most subsequent <i>livestock</i> buildings to be built within a reasonable building envelope. Factor C is smallest for no increase in NU (0% increase), or decreases in NU ('negative' increase), rare on most farms, except when replacing an old building with little to no additional <i>livestock</i> capacity, downsizing, or when installing storages to increase manure holding capacity to prevent spreading at inappropriate times of the year.</p> <p>For the purposes of determining Factor C, all <i>first livestock facilities</i> are to be calculated at Factor C = 1.14.</p> <p>Where an <i>existing livestock facility</i> is to be expanded, the percentage increase shall be calculated using: the total additional <i>Nutrient Units</i> proposed as the numerator, and the total existing <i>Nutrient Units</i> as the denominator.</p> <p>For example, an <i>existing livestock facility</i> currently has 200 <i>nutrient units</i> and proposes to add 100 additional <i>Nutrient Units</i>. In this case percentage increase, would be calculated as 100 NU divided by 200 NU and then multiplied by 100 for a value of 50 %</p> <p>$(100/200) \times 100 = 50 \%$</p> <p style="text-align: right;"><i>continued...</i></p>

Implementation Guideline	MDS I	MDS II
<p>28. Factor C - Orderly Expansion Factor</p> <p style="text-align: right;">continued...</p>		<p><i>continued...</i></p> <p>Where a <i>livestock facility</i> is to be expanded, and one or more building permits to establish or expand that <i>livestock facility</i> were already issued within the previous three years, the percentage increase shall be calculated using: the total additional <i>Nutrient Units</i> established or added by building permit issued during the previous three year period, plus the proposed expansion, as the numerator; and the total existing <i>Nutrient Units</i> prior to the previous three year period as the denominator.</p> <p>For example, an <i>existing livestock facility</i> currently has 200 <i>Nutrient Units</i> and proposes to add 100 additional <i>Nutrient Units</i>. A building permit for this <i>livestock facility</i> was issued 2 years ago, and increased the size of the operation at that time from 100 <i>Nutrient Units</i> to 200 <i>Nutrient Units</i>. In this case, percentage increase would be calculated as 200 NU (100 NU for this expansion plus 100 NU for expansion 2 years ago) divided by 100 NU (the total capacity of the <i>livestock facility</i> 3 years ago) and then multiplied by 100 for a value of 200%.</p> <p>$[(100+100)/100] \times 100 = 200 \%$</p> <p>See Table 3 for further information. In determining Factor C, it may be required to interpolate a value from Table 3. Interpolated values for Factor C should not include more than four decimal places, and may need to be rounded accordingly.</p>

Implementation Guideline	MDS I	MDS II
29. Factor D - Manure or Material Form in Permanent Storage Factor	Factor D is based on the type of manure or material and its relative potential for emanating offensive odours. The higher the Factor D, the higher the odour potential, and the higher the resulting MDS separation distance, all other things being equal. See Table 1.	
30. Factor E - Encroaching Land Use Factor	Factor E is based on the degree of effect an encroaching land use might have on an <i>existing livestock facility</i> . The higher the encroachment factor, the higher the potential effect on a <i>livestock facility</i> , and the higher the resulting MDS I separation distance, all other things being equal. See Table 4.	N/A
31. Calculating weighted averages for Factor A	<p>In MDS I, Factor A <u>may</u> require a weighted average, if there are more than one type of <i>livestock</i> housed with differing values for Factor A.</p> <p>For example, if an adjacent <i>livestock facility</i> houses 50 NU of chicken broilers with Factor A = 0.7, and 100 NU of swine feeders with Factor A = 1.2, then the weighted average Factor A is: $[(50 \times 0.7) + (100 \times 1.2)] \div (50 + 100) = 1.03$</p> <p>When calculating a weighted average, the value of Factor A should not include more than two decimal places, and may need to be rounded accordingly.</p>	<p>In MDS II, Factor A <u>may</u> require a weighted average, if more than one type of <i>livestock</i> is <u>added</u> with differing values for Factor A.</p> <p>For example, if a farmer proposes to <u>add</u> 50 NU of chicken broilers with Factor A = 0.7, and 100 NU of swine feeders with Factor A = 1.2, to a <i>livestock facility</i>, then the weighted average Factor A is: $[(50 \times 0.7) + (100 \times 1.2)] \div (50 + 100) = 1.03$</p> <p>When calculating a weighted average, the value of Factor A should not include more than two decimal places, and may need to be rounded accordingly.</p>
32. Calculating weighted averages for Factor D	<p>In MDS I, Factor D <u>may</u> require a weighted average, if there are more than one type of <i>livestock</i> housed with differing values for Factor D.</p> <p>For example, if an adjacent <i>livestock facility</i> houses 50 NU of chicken broilers with Factor D = 0.7, and 100 NU of swine feeders with Factor D = 0.8, then the weighted average Factor D is: $[(50 \times 0.7) + (100 \times 0.8)] \div (50 + 100) = 0.77$</p> <p style="text-align: right;">continued...</p>	<p>In MDS II, Factor D <u>may</u> require a weighted average, if more than one type of <i>livestock</i> is <u>added</u> with differing values for Factor D.</p> <p>For example, if a farmer proposes to <u>add</u>: 50 NU of chicken broilers with Factor D = 0.7, and 100 NU of swine feeders with Factor D = 0.8, then the weighted average Factor D is:</p> <p style="text-align: right;">continued...</p>

Implementation Guideline	MDS I	MDS II
<p>32. Calculating weighted averages for Factor D</p> <p style="text-align: right;">continued...</p>	<p><i>continued...</i></p> <p>When calculating a weighted average, the value of Factor D should not include more than two decimal places, and may need to be rounded accordingly.</p>	<p><i>continued...</i></p> $[(50 \times 0.7) + (100 \times 0.8)] \div (50 + 100) = 0.77$ <p>When calculating a weighted average, the value of Factor D should not include more than two decimal places, and may need to be rounded accordingly.</p>
<p>33. <i>Tillable hectares</i></p>	<p>In MDS I, Factor B is based on the greater of the existing <i>Nutrient Unit housing capacity</i> of the <i>livestock facility</i>, or the potential <i>Nutrient Unit housing capacity</i> of the livestock facility based on the product of <i>tillable hectares</i> on that <i>lot</i> multiplied by <i>7.5 Nutrient Units/tillable hectare</i> (to a maximum of <i>300 Nutrient Units</i>).</p> <p>However, for <i>settlement area</i> expansions only, MDS I is based on the existing <i>Nutrient Unit housing capacity</i> and not <i>tillable hectares</i>. See the following examples:</p> <p>For example:</p> <p style="padding-left: 40px;">20 NU operation on 10 hectares; <i>housing capacity</i> is 75 NU</p> <p style="padding-left: 40px;">20 NU operation on 45 hectares; <i>housing capacity</i> is 300 NU</p> <p style="padding-left: 40px;">300 NU operation on 10 hectares; <i>housing capacity</i> is 300 NU</p> <p style="padding-left: 40px;">300 NU operation on 45 hectares; <i>housing capacity</i> is 300 NU.</p>	<p>N/A</p>
<p>34. Rounding of MDS calculations</p>	<p>All resulting calculated separation distances are rounded <u>up</u> to the nearest metre.</p>	

Implementation Guideline	MDS I	MDS II
--------------------------	-------	--------

Type A and B Land Uses

These implementation guidelines outline considerations regarding the interpretation of Type A and Type B land uses for MDS I and II, and how different land uses should be treated in MDS. They also provide specific direction on exceptions to Type A and Type B land uses.

35. Type A land uses	<p>Type A land uses are typically characterized by uses that have a lower density of human occupancy, habitation or activity.</p> <p>For the purposes of MDS I, Type A land uses include applications to rezone or redesignate agricultural lands for <i>industrial, agricultural-related or recreational use – low intensity</i> purposes.</p> <p>Type A land uses include applications to permit:</p> <ul style="list-style-type: none"> • construction of a <i>dwelling</i> on an existing lot where the municipality has determined that MDS I should be applied, or the • creation of up to three <i>lots</i> either by consent or plan of subdivision 	<p>Type A land uses are typically characterized by uses that have a lower density of human occupancy, habitation or activity.</p> <p>For the purposes of MDS II, Type A land uses include areas zoned or designated <i>industrial, agricultural-related or recreational use – low intensity</i>.</p> <p>Type A land uses include <i>residential dwellings</i> on lots zoned agriculture, rural <i>residential, residential</i>, or other similar zoning. This includes existing <i>residential</i> uses on separate <i>lots</i> not recognized through Official Plan designation as a <i>residential</i> area.</p>
36. Type B land uses	<p>Type B land uses are typically characterized by uses that have a higher density of human occupancy, habitation or activity.</p> <p>For the purposes of MDS I, Type B land uses include applications to rezone or redesignate agricultural lands for <i>residential, institutional, recreational use – high intensity, commercial or settlement area</i> purposes.</p> <p>Type B land uses include applications to permit:</p> <ul style="list-style-type: none"> • creation of <i>residential</i> subdivisions in rural areas, or • expansion of a <i>settlement area</i>, or • creation of <i>multiple residential</i> development, or • the creation of a lot which results in a <i>rural residential cluster</i> 	<p>Type B land uses are typically characterized by uses that have a higher density of human occupancy, habitation or activity.</p> <p>For the purposes of MDS II, Type B land uses include areas zoned or designated <i>settlement area, recreational use high – intensity, institutional, or commercial</i>.</p> <p>Type B land uses include areas designated in an Official Plan as <i>residential</i> for:</p> <ul style="list-style-type: none"> • <i>residential</i> subdivisions, or • multiple <i>residential</i>, or • estate <i>residential</i> development

Implementation Guideline	MDS I	MDS II
37. Application to <i>settlement areas</i>	<p>MDS I does not apply to proposed non-agricultural uses in approved <i>settlement area</i> designations. However, municipalities have the option to apply MDS I from <i>livestock facilities</i> within a <i>settlement area</i> designation.</p> <p>The application of MDS I will take its direction from the applicable municipal planning documents.</p>	<p>Where municipalities permit <i>first</i> or <i>expanded livestock facilities</i> within approved <i>settlement area</i> designations, municipalities have the option, but are strongly encouraged to apply MDS II.</p> <p>The application of MDS II will take its direction from the applicable municipal planning documents.</p>
38. Cemeteries	<p>For the purposes of MDS I, cemeteries should be considered a Type B land use, as they are an <i>institutional use</i>.</p>	<p>For the purposes of MDS II, cemeteries should be considered a Type B land use, as they are an <i>institutional use</i>.</p> <p>However, cemeteries may be treated as a Type A land use when the cemetery is closed and receives low levels of visitation. Cemeteries such as this should be clearly identified in the municipality's planning documents.</p>
39. <i>Rural residential clusters</i>	<p>For the purposes of MDS I, <i>lot</i> creation which results in a <i>rural residential cluster</i> should be considered a Type B land use.</p>	<p>For the purposes of MDS II, <i>rural residential clusters</i> should be considered a Type A land use, except where they have been identified and designated in an Official Plan.</p>
40. Rear <i>lot</i> lines, side <i>lot</i> lines, and road allowances	N/A	<p>In addition to Type A and Type B land uses, MDS II setbacks are calculated from rear <i>lot</i> lines, side <i>lot</i> lines, and road allowances.</p> <p>Rear and side <i>lot</i> line MDS II setbacks are calculated as 0.1 x the Building Base Distance 'F' and Storage Base Distance 'S'.</p> <p style="text-align: right;">continued...</p>

Implementation Guideline	MDS I	MDS II
<p>40. Rear <i>lot</i> lines, Side <i>lot</i> lines, and Road Allowances</p> <p style="text-align: right;">continued...</p>		<p>continued...</p> <p>For example, an MDS II calculation yields values of 100 metres for Building Base Distance 'F' and 123 metres for Storage Base Distance 'S'. The required setback for the <i>livestock facility</i> from the <i>lot</i> lines would be 10 metres (100 x 0.1). The required setback for the <i>manure storage</i> from the <i>lot</i> lines would be 12.3 metres (123 x 0.1). This value should be rounded to the nearest whole number, so in this instance, the setback for the <i>manure storage</i> would be 12 metres.</p> <p>Under no circumstances should the MDS II setback from a rear or side <i>lot</i> line exceed 30 metres, see Implementation Guideline #44.</p> <p>Road allowance MDS II setbacks are calculated as 0.2 x the Building Base Distance 'F' and Storage Base Distance 'S'.</p> <p>For example, an MDS II calculation yields values of 100 metres for Building Base Distance 'F' and 123 metres for Storage Base Distance 'S'. The required setback for the <i>livestock facility</i> from the road allowance would be 20 metres (100 x 0.2). The required setback for the <i>manure storage</i> from the road allowance would be 24.6 metres (123 x 0.2). This value should be rounded to the nearest whole number, so in this instance, the setback for the <i>manure storage</i> would be 25 metres.</p>

Implementation Guideline	MDS I	MDS II
--------------------------	-------	--------

Applying MDS - Measurement of MDS Setbacks

The following implementation guidelines provide direction on measurement of MDS setbacks between *livestock facilities*, and other existing or proposed development, *lot* lines, and road allowances.

41. Measurement of MDS	For MDS I, measurements are taken as the shortest distance between the area to be rezoned or redesignated and the <i>livestock occupied portion</i> of the <i>livestock facility</i> (or storage).	For MDS II, measurements are taken as the shortest distance between the point of new construction for the <i>livestock occupied portion</i> of a <i>first</i> or <i>expanded livestock facility</i> and the <i>dwelling/lot line/road allowance/or</i> area zoned or designated.
42. Measurement of MDS for <i>Lot</i> Creation	For MDS I, measurements are taken as the shortest distance between the <i>lot</i> line of the <i>lot</i> being created and the <i>livestock occupied portion</i> of the <i>livestock facility</i> (or storage). Where larger lots may be permitted (generally greater than 1 ha), a suitable location must be identified for a 1 ha building envelope outside the MDS I setback.	N/A
43. Measurement of MDS for development on existing <i>lots</i>	Where a municipality chooses to apply MDS I to development proposed through building permit on an existing <i>lot</i> , measurements are taken as the shortest distance between the <i>dwelling</i> or other structure to be constructed and the <i>livestock occupied portion of the livestock facility</i> .	N/A
44. Maximum setbacks to side or rear <i>lot</i> lines	N/A	The maximum required setback from any <i>livestock facility</i> to side or rear <i>lot</i> lines is 30 m.

Implementation Guideline	MDS I	MDS II
--------------------------	-------	--------

Applying MDS - Minor Variances

This section of the MDS Formulae implementation guidelines speak to specific issues regarding minor variances applications under the *Planning Act*.

45. Affects of wind, etc. on MDS	The direction of prevailing wind, surrounding topography, and presence of trees, berms, or other screening do not affect MDS calculations, but could be elements considered in Minor Variance applications.	
46. Reducing MDS setbacks and minor variances	MDS I setbacks should not be reduced except in accordance with these implementation guidelines. Where a municipality applies MDS I to development on existing <i>lots</i> , minor variances to MDS I distances can be considered based on site specific circumstances. Circumstances that meet the intent, if not the precise distances of MDS I, or mitigate environmental impacts, may warrant further consideration.	Minor variances to MDS II distances can be considered based on site specific circumstances. Circumstances that meet the intent, if not the precise distances of MDS II, or mitigate environmental impacts, may warrant further consideration.



MDS I CALCULATION FORM

The following outlines the 10 Steps on how to calculate setbacks to all adjacent *livestock facilities*, reasonably expected to be impacted by an applicant's proposed development. Each step is colour-coded. The applicable topics found in the Implementation Guidelines Chart on pages 9 to 25 and the applicable Tables are noted in the steps below.

<p>Step 1</p>	<p>Location and contact information</p>	<p>Fill in the pertinent information about the applicant, and each adjacent <i>livestock facility</i> within 1000 m or more, of the proposed development. Each <i>livestock facility</i> must be on its own separate <i>lot</i> and should be treated as separate calculations. All barns and structures located on one <i>lot</i> should be treated as part of the same <i>livestock facility</i>. Implementation Guidelines #1 through #16 provide direction on the general rules and application of the Minimum Distance Separation Formulae.</p>
<p>Step 2</p>	<p><i>Livestock facility</i> animal/material types</p>	<p>For the first <i>livestock facility</i> identified in Step 1, fill in all of its existing animal/material types, descriptions, the total maximum housing capacity, the number of animals/material per <i>Nutrient Unit</i> (NU) and associated manure forms. Information on the existing animal/material types, descriptions, the total number of animals/material, and associated manure forms should be obtained from the owner of the <i>livestock facility</i>. It may be necessary to verify this information independently. Information on the number of animals/material per <i>Nutrient Unit</i> (NU) can be determined from Table 1. Implementation Guidelines #17 through #20 provide guidance on determining <i>livestock facility</i> capacity. Implementation Guidelines #21 and #22 provide direction on dealing with <i>anaerobic digesters</i>.</p>
<p>Step 3</p>	<p>Existing <i>Nutrient Units</i> (NU)</p>	<p>Calculate the existing total maximum NU capacity of the <i>livestock facility</i> by dividing existing capacity of each animal/material type by the number of animals/material per NU as found in Table 1. Then, add all the existing NU together for all the types of animal/material present, to obtain the total maximum number of NU.</p>

Step 4	Weighted Factor A	Determine Factor A (Odour Potential Factor) for each animal/material type present, from Table 1, and fill in the calculation form. If necessary, calculate the weighted average for Factor A, if Factor A is not the same for all animals/materials listed. See Implementation Guidelines #26 and #31 for further direction.
Step 5	Weighted Factor D	Determine Factor D (Manure Form in Permanent Storage Factor) from Table 1, for each animal/material type present, and fill in the calculation form. If necessary, calculate the weighted average Factor D, if Factor D is not the same for all animals/materials listed. See Implementation Guidelines #29 and #32 for further direction.
Step 6	<i>Tillable hectares</i> and potential NU	Fill in the maximum <i>tillable hectares</i> of land on the <i>lot</i> where the <i>livestock facility</i> is located, based on information obtained from the owner of the <i>livestock facility</i> . It may be necessary to verify this information independently. Calculate the potential total number of NU, which equals: # of <i>tillable hectares</i> x 7.5, up to a maximum of 300 NU. Implementation Guidelines #33 and #17 provide more specific information.
Step 7	Factor B and existing vs. potential NU	Compare the total number of existing NU calculated in Step 3 with the total number of potential NU calculated in Step 6. Using the greater of these two numbers, determine Factor B from Table 2, and fill in the correct space on the calculation form. In some circumstances, it will be necessary to interpolate Factor B from Table 2, when the number of NU is not specifically identified in the table. Implementation Guideline #27 provides more specific direction on Factor B.
Step 8	Determine Factor E	Determine and fill in Factor E (Encroachment Land Use Factor) on the calculation form. Factor E can be determined from Table 4. Implementation Guidelines #30 and #35 through #39 provide specific direction on Factor E and the determination of Type A and Type B land uses.
Step 9	F, Building Base Distance	Calculate F (Building Base Distance) = (Factor A) x (Factor D) x (Factor B) x (Factor E), which is the required MDS I setback from the proposed development to the nearest barn of the <i>livestock facility</i> . For further information, see Implementation Guidelines #23 and #34.

<p>Step 10</p>	<p>S, <i>Manure Storage</i> Base Distance</p>	<p>Establish S (<i>Manure Storage</i> Base Distance) by first using Table 5 to choose the existing storage at the <i>livestock facility</i> with the highest odour potential: Very Low, Low, Medium, and High. Then, enter Table 6 under the appropriate column and read across using 'F' calculated from Step 9. It may be necessary to interpolate. S, is the required MDS I setback from the proposed development to the nearest <i>manure storage</i> at the <i>livestock facility</i>. Implementation Guidelines #24 and #25 provide further information. Implementation Guidelines #21 and #22 provide further information on dealing with <i>anaerobic digesters</i>.</p> <p>Steps 2 through 10 should be completed for any other <i>livestock facilities</i> present, in accordance with Implementation Guideline #6.</p>
<p>Now What?</p>	<p>Using calculated MDS</p>	<p>The calculated values of MDS can now be used in the context of the land use planning application for which they have been prepared. Implementation Guidelines #35 through #40 provide direction around issues regarding Type A and Type B land uses. Implementation Guidelines #41 through #44 provide direction around issues of measurement of MDS setbacks, and, Implementation Guidelines #45 and #46 provide direction on issues regarding minor variances.</p>

Example:

Ms. Smith proposes to create a new *lot*, on agricultural land, adjacent to Mr. Jones' *Swiney-Acres Farm*. This *livestock facility* has:

- a) 1200 head swine feeder barn over a slatted floor barn where all the swine manure is stored,
- b) 33000 bird chicken broiler barn (9-week cycle) with solid manure stored outside, uncovered, dry enough for a flowpath option; and,
- c) permanent concrete storage for imported solid dairy manure 10 metres wide x 12 metres long and 2 metre walls, with flowpath option.

The *lot* where all Mr. Jones' barns and *manure storage* are has 60 *tillable hectares*. There are no other *livestock facilities* within 1000 m of the proposed *lot*. How far must Ms. Smith's proposed *lot* be from Mr. Jones' nearest barn and nearest *manure storage*?

Evaluator: _____

Date: _____

File Number: _____

Contact Information:

	Applicant Information	Owner of Adjacent Livestock Facility #1	Owner of Adjacent Livestock Facility #2, etc.
File Name	Jane	Jim	(No other adjacent <i>livestock facilities</i>)
Last Name	Smith	Jones	
Farm/Company	N/A	Swiney-Acres Farm	
Address	123 New Road	124 New Road	
City/Town	Somewhere	Somewhere	
Province	Ontario	Ontario	
Postal Code	NOG OJO	NOG OJO	
Upper Tier	Upper Somewhere	Upper Somewhere	
Lower Tier	Lower Somewhere	Lower Somewhere	
Lot	1	2	
Concession	2	2	
911 Number	12345	12346	
Roll Number	666	667	
Telephone	905-555-1111	905-555-3333	
Fax	905-555-2222	905-555-4444	
Email	jsmith@newroad.ca	jjones@newroad.ca	

MDS I Calculation Form:

Animal Type or Material	Description	Number per NU	Manure Form	Existing Maximum Housing Capacity	Existing NU	Factor A	Factor D
Swine	Feeders (27 kg - 105 kg)	6	Liquid	1200	200	1.2	0.8
Chickens	Broilers (9 week cycle)	300	Solid	33 000	110	0.7	0.7
Imported Manure	Max Capacity (10m x 12m x 2m)	19.8	Solid	240	12	1.2	0.7
Total Number of NU					322		
Factor A (Odour Potential Factor)...a weighted average may be necessary						1.03	
Factor D (Manure Form Factor)...a weighted average may be necessary							0.76
Factor B (<i>Nutrient Units</i> Factor)							475
Factor E (Encroaching Land Use Factor)							1.1
Maximum tillable hectares on the lot with the livestock facilities			60	X	7.5	=	300 NU <small>(Maximum 300 NU)</small>
F (Building Base Distance, m) = Factor A x Factor D x Factor B x Factor E							409
S (Manure Storage Base Distance, m)							409
Now What?		Repeat MDS calculation process as appropriate for other <i>livestock facilities</i> in the vicinity. Apply calculated MDS in the context of the land use planning application for which they were prepared.					

MDS I CALCULATION BLANK FORM

Evaluator: _____

Date: _____

File Number: _____

Contact Information:

	Applicant Information	Owner of Adjacent Livestock Facility #1	Owner of Adjacent Livestock Facility #2, etc
File Name			
Last Name			
Farm/Company			
Address			
City/Town			
Province			
Postal Code			
Upper Tier			
Lower Tier			
Lot			
Concession			
911 Number			
Roll Number			
Telephone			
Fax			
Email			

MDS I CALCULATION BLANK FORM

Animal Type or Material	Description	Number per NU	Manure Form	Existing Maximum Housing Capacity	Existing NU	Factor A	Factor D
Swine							
Chickens							
Imported Manure							
Total Number of NU							
Factor A (Odour Potential Factor)...a weighted average may be necessary							
Factor D (Manure Form Factor)...a weighted average may be necessary							
Factor B (<i>Nutrient Units</i> Factor)							
Factor E (Encroaching Land Use Factor)							
Maximum tillable hectares on the lot with the livestock facilities				X		=	(Maximum 300 NU)
F (Building Base Distance, m) = Factor A x Factor D x Factor B x Factor E							
S (Manure Storage Base Distance, m)							
Now What?	Repeat MDS calculation process as appropriate for other <i>livestock facilities</i> in the vicinity. Apply calculated MDS in the context of the land use planning application for which they were prepared.						



MDS II CALCULATION FORM

The following outlines the 10 Steps on how to calculate setbacks to all development reasonably expected to be impacted by a proposed *first* or *expanded livestock facility*. Each step is colour-coded. Applicable topics are found in the Implementation Guidelines Chart on pages 9 to 25 and applicable Tables are noted.

<p>Step 1</p>	<p>Location and contact information</p>	<p>Fill in the pertinent information about the applicant who is proposing a <i>first</i>, or <i>expanded, livestock facility</i>. Implementation Guidelines #1 through #16 provide direction on the general rules and application of the Minimum Distance Separation Formulae.</p>
<p>Step 2</p>	<p><i>Livestock facility</i> animal/material types</p>	<p>Fill in all existing, and proposed to be added, animal/material types, descriptions, the total maximum housing capacity, the number of animals/material per <i>Nutrient Unit</i> (NU) and associated manure forms. Table 1 and Implementation Guidelines #17 through #20 provide guidance on determining <i>livestock facility</i> capacity. Implementation Guidelines #21 and #22 provide direction on dealing with <i>anaerobic digesters</i>.</p>
<p>Step 3</p>	<p>Existing, and proposed to be added <i>Nutrient Units</i> (NU)</p>	<p>Calculate the existing, and proposed to be added, NU capacity of the <i>livestock facility</i> by dividing existing, and proposed to be added, capacity of each animal/material type by the number of animals/material per NU as found in Table 1. Then, add all the existing, and proposed to be added, NU together for all the types of animal/material present, to obtain the total number of NU.</p>
<p>Step 4</p>	<p>Weighted Factor A</p>	<p>Determine Factor A (Odour Potential Factor) from Table 1, for <u>only</u> each animal/material type proposed to be <u>added</u>, and fill in the calculation form. If necessary, calculate the weighted average for Factor A, if Factor A is not the same for all animals/materials added. See Implementation Guidelines #26 and #31 for further direction.</p>

<p>Step 5</p>	<p>Weighted Factor D</p>	<p>Determine Factor D (Manure Form in Permanent Storage Factor) from Table 1, for <u>only</u> each animal/material type <u>added</u>, and fill in the calculation form. If necessary, calculate the weighted average for Factor D, if Factor D is not the same for all animals/materials added. See Implementation Guidelines #29 and #32 for further direction.</p>
<p>Step 6</p>	<p>Factor B</p>	<p>Determine Factor B from Table 2, based on the Total NU to be housed at the <i>livestock facility</i>, and fill in the space on the calculation form. In some cases, it will be necessary to interpolate Factor B from Table 2, when the number of NU is not specifically identified in the table. Implementation Guideline #27 provides more specific direction on Factor B.</p>
<p>Step 7</p>	<p>Determining Percentage Increase for <i>livestock facility</i></p>	<p>Determine if a building permit was issued on this <i>lot</i> in the past 3 years that increased the <i>livestock</i> capacity of the <i>livestock facility</i>.</p> <p>If 'No', use Approach (i) below to calculate Percentage Increase. If 'Yes', use Approach (ii) below to calculate Percentage Increase.</p> <p>Approach (i)</p> <p>Enter total Added NU as calculated in Step 3 above. Enter total Existing NU as calculated in Step 3 above. If total Existing NU is zero (i.e. this is the <i>First Livestock Facility</i> on the <i>lot</i>), then the Percentage Increase is considered to be at its maximum, or 700% as per Table 3. If total Existing NU is not zero, divide Added NU by Existing NU and multiply by 100. This value is the Percentage Increase. In rare cases of downsizing, the Added NU would actually be 'negative'. In this case, the Percentage Increase is 'negative', but considered to be at its minimum, or 0% as per Table 3.</p> <p>Approach (ii)</p> <p>Enter total Added NU as calculated in Step 3 above, as well as the total number of NU added in the past 3 years by previous building permit(s). Enter total Existing NU of the <i>livestock facility</i> as it was 3 years ago, prior to the current application date. If total Existing NU 3 years ago was zero, then the <i>livestock facility</i> in this current application <u>and</u> the one(s) constructed in the past 3 years are all considered to be the <i>First Livestock Facility</i> on the <i>lot</i>, and the Percentage Increase is considered to be at its maximum, or 700% as per Table 3. If total Existing NU 3 years ago was <u>not</u> zero, divide Added NU</p> <p style="text-align: right;">continued...</p>

<p>Step 7</p> <p>continued...</p>		<p>continued...</p> <p>in this application <u>plus</u> Added NU over the past 3 years, by Existing NU 3 years ago and multiply by 100. This value is the Percentage Increase. In rare cases of downsizing, the Added NU would actually be 'negative'. In this case, the Percentage Increase is 'negative', but considered to be at its minimum, or 0% as per Table 3.</p> <p>Implementation Guideline #28 provides further direction and assistance on calculating Percentage Increase, and establishing Factor C.</p>
<p>Step 8</p>	<p>Factor C</p>	<p>Determine and fill in Factor C (Orderly Expansion Factor) on the calculation form, based on the Percentage Increase calculated in Step 7. Factor C can be determined from Table 3. In some instances, it may be necessary to interpolate Factor C. Implementation Guideline #28 provides direction on calculating the Percentage Increase in NU for the proposed construction.</p>
<p>Step 9</p>	<p>F, Building Base Distance</p>	<p>Calculate F (Building Base Distance) = (Factor A) x (Factor D) x (Factor B) x (Factor C), which is the required MDS II setback from <u>all</u> proposed <i>first or expanded livestock facilities</i> to the nearest development. For further information, see Implementation Guidelines #23 and #34.</p>
<p>Step 10</p>	<p>S, Manure Storage Base Distance</p>	<p>Establish S (<i>Manure Storage</i> Base Distance) by first using Table 5 to choose the proposed new storage at the <i>livestock facility</i> with the <u>highest</u> odour potential: Very Low, Low, Medium, and High. Then, enter Table 6 under the appropriate column and read across using 'F' calculated from Step 9. It may be necessary to interpolate from the table. 'S' is the required MDS II setback from <u>all</u> proposed new storages to the nearest development. Implementation Guidelines #24 and #25 provide further information. Implementation Guidelines #21 and #22 provide further information on dealing with <i>anaerobic digesters</i>.</p>
<p>Now What?</p>	<p>Using calculated MDS</p>	<p>The calculated values of MDS II can now be applied to the building permit application. Implementation Guidelines #35 through #39 provide direction around Type A and Type B land uses. For Type A land uses, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 1.0 to determine the required MDS setback. For Type B land uses, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 2.0 to determine the required MDS setback. Implementation Guideline #40 provides direction around setbacks from rear <i>lot</i> lines, side <i>lot</i> lines and road allowances. For rear and side <i>lot</i> lines, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 0.1 to determine the required</p> <p>continued...</p>

Now What?

continued...

continued...

MDS setback. In accordance with Implementation Guideline #44, the required MDS setback from a rear or side *lot* line should never exceed 30 metres. For road allowances, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 0.2 to determine the required MDS setback. Implementation Guidelines #41 through #44 provide direction around issues of measurement of MDS II setbacks. Implementation Guidelines #45 and #46 provide direction on issues regarding minor variances.

Example:

Mr. Jones proposes to build a second 1200 head swine feeder barn with concrete liquid *manure storage* to go along with his existing:

- 1200 head swine feeder barn over a slatted floor where all the swine manure is stored;
- 33000 bird chicken broiler barn (9-week cycle) with solid *manure storage* outside, uncovered, dry enough for a flowpath option;
- 10 m x 12 m x 2 m permanent concrete storage with flowpath option, for his imported solid dairy manure; and
- The existing facilities were constructed more than 3 years ago.

How far must the proposed barn be sited from all development reasonably expected to be impacted?

Evaluator: _____

Date: _____

File Number: _____

Applicant Information:

First Name	Jim	Lower Tier	Lower Somewhere
Last Name	Jones	Lot	2
Farm/Company	Swiney-Acres Farm	Concession	2
Address	124 New Road	Fire Number	123456
City/Town	Somewhere	Roll Number	667
Province	Ontario	Telephone	905-555-3333
Postal Code	NOG OJO	Fax	905-555-4444
Upper Tier	Upper Somewhere	Email	jjones@newroad.ca

MDS II CALCULATION FORM

Animal Type or Material	Description	Number per NU	Manure Form	Existing Maximum Housing Capacity	Existing NU	Proposed Maximum Housing Capacity	Added NU	Total NU	Factor A	Factor AD
Swine	Feeders (27 kg - 105 kg)	6	Liquid	1200	200	1200	200	400	1.2	0.8
Chickens	Broilers (9 week cycle)	300	Solid	33000	110	N/A	N/A	110	N/A	N/A
Imported Manure	Maximum Capacity (10m x 12m x 2m)	19.8	Solid	240	12	N/A	N/A	12	N/A	N/A
Totals					322		200	522		
Factor A (Odour Potential Factor) weighted average may be necessary									1.2	
Factor D (Manure Form Factor) weighted average may be necessary										0.8
Factor B (Nutrient Units Factor)										563
Has a building permit been issued for the <i>livestock facility</i> on this property, in the last 3 years that has increased its <i>livestock</i> capacity? No? Yes? <i>If No, proceed to Approach (i); if Yes, proceed to Approach (ii)</i>										
Approach (i) - No Building Permits in Last 3 Years					Approach (ii) - Building Permit(s) issued in Last 3 Years					
Calculation of Percentage Increase					Calculation of Percentage Increase					
Total 2 - Total Added NU (From Above)				200	Total 2 - Total Added NU (From Above) + Total Added NU from building permit(s) issued in the last 3 Years					
Total 1 - Total Existing NU (From Above)				322	Total 1 - Total Existing NU at <i>Livestock Facility</i> - 3 Years Ago					
If Total 1 = Zero - Treat as a <i>First Livestock Facility</i>					If Total 1 = Zero - Treat as a <i>First Livestock Facility</i>					
% Increase: (Total 2/Total 1) x 100				62.1%	% Increase: (Total 2/Total 1) x 100					
Factor C (Orderly Expansion Factor)										0.825
F (Building Base Distance, m) = Factor A x Factor D x Factor B x Factor C										446
S (Manure Storage Base Distance, m)										446
Now What?	Apply MDS calculation to building permit application as appropriate. For Type A land uses, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 1.0 to determine the required MDS setback. For Type B land uses, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 2.0 to determine the required MDS setback. Implementation Guideline #40 provides direction around setbacks from rear <i>lot</i> lines, side <i>lot</i> lines and road allowances. For rear and side <i>lot</i> lines, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 0.1 to determine the required MDS setback. In accordance with Implementation Guideline #44, the required MDS setback from a rear or side <i>lot</i> line should never exceed 30 metres. For road allowances, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 0.2 to determine the required MDS setback.									

MDS II CALCULATION BLANK FORM

Evaluator: _____

Date: _____

File Number: _____

Contact Information:

	Applicant Information	Owner of Adjacent Livestock Facility #1	Owner of Adjacent Livestock Facility #2, etc
File Name			
Last Name			
Farm/Company			
Address			
City/Town			
Province			
Postal Code			
Upper Tier			
Lower Tier			
Lot			
Concession			
911 Number			
Roll Number			
Telephone			
Fax			
Email			

MDS II CALCULATION BLANK FORM

Animal Type or Material	Description	Number per NU	Manure Form	Existing Maximum Housing Capacity	Existing NU	Proposed Maximum Housing Capacity	Added NU	Total NU	Factor A	Factor AD
Swine										
Chickens										
Imported Manure										
Totals										
Factor A (Odour Potential Factor) weighted average may be necessary										
Factor D (Manure Form Factor) weighted average may be necessary										
Factor B (<i>Nutrient Units</i> Factor)										
Has a building permit been issued for the <i>livestock facility</i> on this property, in the last 3 years that has increased its <i>livestock</i> capacity? No? Yes? <i>If No, proceed to Approach (i); if Yes, proceed to Approach (ii)</i>										
Approach (i) - No Building Permits in Last 3 Years					Approach (ii) - Building Permit(s) issued in Last 3 Years					
Calculation of Percentage Increase					Calculation of Percentage Increase					
Total 2 - Total Added NU (From Above)					Total 2 - Total Added NU (From Above) + Total Added NU from building permit(s) issued in the last 3 Years					
Total 1 - Total Existing NU (From Above)					Total 1 - Total Existing NU at <i>Livestock Facility</i> - 3 Years Ago					
If Total 1 = Zero - Treat as a <i>First Livestock Facility</i>					If Total 1 = Zero - Treat as a <i>First Livestock Facility</i>					
% Increase: (Total 2/Total 1) x 100					% Increase: (Total 2/Total 1) x 100					
Factor C (Orderly Expansion Factor)										
F (Building Base Distance, m) = Factor A x Factor D x Factor B x Factor C										
S (<i>Manure Storage</i> Base Distance, m)										
Now What?	Apply MDS calculation to building permit application as appropriate. For Type A land uses, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 1.0 to determine the required MDS setback. For Type B land uses, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 2.0 to determine the required MDS setback. Implementation Guideline #40 provides direction around setbacks from rear <i>lot</i> lines, side <i>lot</i> lines and road allowances. For rear and side <i>lot</i> lines, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 0.1 to determine the required MDS setback. In accordance with Implementation Guideline #44, the required MDS setback from a rear or side <i>lot</i> line should never exceed 30 metres. For road allowances, the values of Building Base Distance 'F' and Storage Base Distance 'S' should be multiplied by 0.2 to determine the required MDS setback.									

FACTOR TABLES

Table 1: Factor A (Odour Potential) and Factor D (Manure or Material Form in Storage Facility)

Animal Type or Material	Description	Number per NU	Factor A	Manure or Material Form in Permanent Storage			
				Liquid Manure: Factor D = 0.8 < 18% Dry Matter	Solid Manure: Factor D = 0.7 18 - 100% Dry Matter		
Swine	Sows with litter, dry sows/boars Segregated Early Weaning (SEW)	3.33	1.0	Most systems have liquid manure stored under the barn slats for short or long periods, or in storages located outside	Systems with solid manure inside on deep bedded packs, or with scraped alleys		
	Sows with litter, dry sows or boars (non-SEW)	3.5					
	Breeder gilts (entire barn designed specifically for this purpose)	5					
	Weaners (7 kg – 27 kg)	20	1.1				
	Feeders (27 – 105 kg)	6	1.2				
Dairy Cattle	Milking-age cows (dry or milking)		0.7	Free-stall barns with minimal bedding, or sand bedding, or tie-stall barns with minimal bedding & milking centre washwater added	Tie-stall barns with lots of bedding, or loose housing with deep bedded pack, and with or without outside yard access		
	- Large-framed; 545 kg – 636 kg (e.g. Holsteins)	0.7					
	- Medium-framed; 455 kg – 545 kg (e.g. Guernseys)	0.85					
	- Small-framed; 364 kg – 455 kg (e.g. Jerseys)	1					
	Heifers (5 months to freshening)						
	- Large-framed; 182 kg – 545 kg (e.g. Holsteins)	2					
	- Medium-framed; 148 kg – 455 kg (e.g. Guernseys)	2.4					
	- Small-framed; 125 kg – 364 kg (Jerseys)	2.9					
	Calves (0 – 5 months)		0.7			Free-stall barns with minimal bedding, or sand bedding, or tie-stall barns with minimal bedding & milking centre washwater added	Bedded pens or stalls or heavily bedded calf hutches that are outside
	- Large-framed; 45 kg – 182 kg (e.g. Holsteins)	6					
- Medium-framed; 39 kg – 148 kg (e.g. Guernseys)	7						
- Small-framed; 30 kg – 125 kg (Jerseys)	8.5						
Beef Cattle	Cows, including calves to weaning (all breeds)	1	0.7	N/A	Bedded pack barns with or without outside yard access		
	Feeders (7 – 16 months)	3	0.8				
	Backgrounders (7 – 12.5 months)	3					
	Shortkeepers (12.5 – 17.5 months)	2		Slatted floor systems, or barns with minimal bedding & yard scraped to a liquid storage			

Animal Type, or Material	Description	Number per NU	Factor A	Manure or Material Form in Permanent Storage	
				Liquid Manure: Factor D = 0.8 Less than 18% Dry Matter	Solid Manure: Factor D = 0.7 18 to 100% Dry Matter
Veal	Milk-fed	6	1.1	Slatted floors or slatted stall system	Heavily bedded pack barns
	Grain-fed	6	0.8		
Goats	Does & bucks (for meat kids; includes unweaned offspring & replacements)	8	0.7	N/A	Heavily bedded pack barns
	Does & bucks (for dairy; includes unweaned offspring & replacements)	8			
	Kids (dairy or feeder kids)	20			
Sheep	Ewes & rams (for meat lambs; includes unweaned offspring & replacements)	8	0.7	N/A	All sheep systems
	Ewes & rams (dairy operation; includes unweaned offspring & replacements)	6			
	Lambs (dairy or feeder lambs)	20			
Horses	Large-framed, mature; > 681 kg (including unweaned offspring)	0.7	0.7	N/A	All horse systems
	Medium-framed, mature; 227 kg – 680 kg (including unweaned offspring)	1			
	Small-framed, mature; < 227 kg (including unweaned offspring)	2			
Chickens	Layer hens (for eating eggs; after transfer from pullet barn)	150	1.0	Birds in cages, manure belts, no drying of manure, water added	Birds in cages, manure belts & drying, or floor systems
	Layer pullets (day olds until transferred into layer barn)	500	0.7		
	Broiler breeder growers (males/females transferred out to layer barn)	300	0.7	N/A	Bedded floors
	Broiler breeder layers (males/females transferred in from grower barn)	100	0.7	N/A	Cage or slatted floor systems
	Broilers on an 8 week cycle	350	0.7	N/A	Bedded floor systems
	Broilers on a 9 week cycle	300			
	Broilers on a 10 week cycle	250			
	Broilers on a 12 week cycle	200			
Broilers on any other cycle, or if unknown, use 24.8 m ² /NU	24.8 m ²				
Turkeys	Turkey pullets (day old until transferred to layer turkey barn)	267	0.7	N/A	Bedded floor systems
	Turkey breeder layers (males/females transferred in from grower barn)	67			
	Breeder toms	45			
	Broilers (day olds to 6.2 kg)	133			
	Hens (day olds up to 6.2 kg to 10.8 kg; 7.5 kg is typical)	105			
	Toms (day olds to over 10.8 to 20 kg; 14.5 kg is typical)	75			
	Turkeys at any other weights, or if unknown, use 24.8 m ² /NU	24.8 m ²			

Animal Type, or Material	Description	Number per NU	Factor A	Manure or Material Form in Permanent Storage	
				Liquid Manure: Factor D = 0.8 Less than 18% Dry Matter	Solid Manure: Factor D = 0.7 18 to 100% Dry Matter
Quail	Use 24.8 m ² /NU	24.8 m ²	0.7	N/A	Bedded floor systems
Partridge	Use 24.8 m ² /NU	24.8 m ²			
Pheasants	Use 24.8 m ² /NU	24.8 m ²			
Squab	Use 24.8 m ² /NU	24.8 m ²			
Rheas	Adults (includes replacements & market birds)	13			
Emus	Adults (includes replacements & market birds)	12			
Ostriches	Adults (includes replacements & market birds)	4			
Ducks	Peking	105	0.8	Wire mesh flooring systems	Bedded floor systems
	Muscovy, use 24.8 m ² /NU	24.8 m ²			
Geese	Use 24.8 m ² /NU	24.8 m ²			
Rabbits	Breeding females (including males, replacements & market animals)	40	0.8	N/A	Cage or floor systems
Chinchillas	Breeding females (including males, replacements & market animals)	320			
Fox	Breeding females (including males, replacements & market animals)	25	1.0		
Mink	Breeding females (including males, replacements & market animals)	90			
Bison	Adults (includes unweaned calves & replacements)	1.3	0.7	N/A	Bedded pack barns with outside access or outside confinement areas
	Feeders (170 kg – 477 kg)	4			
Llama	Adults (includes unweaned young & replacements)	5			
	Feeders (45 kg – 86 kg)	16			
Alpaca	Adults (includes unweaned young & replacements)	8			
	Feeders (23 kg – 48 kg)	26			
Wild Boar	Breeding age sows (includes boars, replacements & weaned piglets to 27 kg)	5			
	Finishing boars (27 kg – 86 kg)	7			
					Continued...

Animal Type, or Material	Description	Number per NU	Factor A	Manure or Material Form in Permanent Storage	
				Liquid Manure: Factor D = 0.8 Less than 18% Dry Matter	Solid Manure: Factor D = 0.7 18 to 100% Dry Matter
Deer	White tailed deer - Adults > 24 mo (including unweaned offspring)	11	0.7	N/A	Bedded pack barns with outside access <u>OR</u> outside confinement areas
	- Feeders	21			
	Red deer - Adults > 24 mo (including unweaned offspring)	7			
	- Feeders	14			
	Elk - Adults > 24 mo (including unweaned offspring)	2			
	- Feeders	6			
	Elk/deer hybrids - Adults > 24 mo (including unweaned offspring)	4			
	- Feeders	10			
	Fallow deer - Adults > 24 mo (including unweaned offspring)	13			
	- Feeders	23			
Other livestock not listed in this table	To determine the number per NU, add up the total maximum live weight of animals and divide by the weight of animals per NU in the next column	453.6 kg (1000 lbs)	0.8	All storages with liquid manure	All storages with solid manure
Manure imported to a lot not generating <i>manure</i> ²	Maximum capacity of permanent storages at any time: solid or liquid capacity	19.8 m ³ (700 ft ³)	1.2	All storages with liquid manure	All storages with solid manure
Storages for <i>digestate</i> from an Anaerobic Digester (odours reduced during this process)	Maximum capacity of permanent storages at any time: solid or liquid capacity	19.8 m ³ (700 ft ³)	0.5	All storages with liquid manure	All storages with solid manure

1. On farms with 100 milking-age cows (dry & milking), there are usually about 20 replacement calves and 80 replacement heifers.

2. Average value for typical types of manures that might be imported to a *lot*, such as poultry, dairy, beef, swine, horse or other manure.

N/A = Not Applicable

Table 2: Factor B (Nutrient Units Factor)

In using Table 2 to determine Factor B, it may be necessary to interpolate a value for Factor B. For example, you determine the total number of *nutrient units* at a *livestock facility* to be 255 NU. Table 2 provides a value for Factor B for 250 NU and for 260 NU, but not for 255 NU. The value of Factor B for 250 NU is 435 and the value of Factor B for 260 NU is 441. To determine Factor B for 255 NU interpolate between the numbers 435 and 441. In this example, the value of Factor B for 255 NU is 438.

When interpolating a value for Factor B do not include more than two decimal places. Interpolated values with more than two decimal places should be rounded accordingly. For example, if an interpolated value for Factor B is calculated as 499.238, then use a value of 499.24 for Factor B in the MDS calculation.

For operations less than 5 NU in size, do not interpolate, but use a Factor B of 150. For operations greater than 5000 NU in size, contact OMAFRA staff to determine Factor B.

Final NU	Factor B	Final NU	Factor B	Final NU	Factor B	Final NU	Factor B
Up to 5	150	46	252	124	340	390	508
6	153	47	254	126	342	400	513
7	157	48	256	128	344	410	517
8	160	49	258	130	346	420	522
9	163	50	260	135	351	430	526
10	167	52	264	140	355	440	530
11	170	54	268	145	360	450	535
12	173	56	272	150	364	460	539
13	177	58	276	155	368	470	543
14	180	60	280	160	372	480	547
15	183	62	282	165	376	490	551
16	187	64	284	170	380	500	555
17	190	66	285	175	384	520	562
18	193	68	287	180	388	540	570
19	197	70	289	185	392	560	577
20	200	72	291	190	395	580	584
21	202	74	293	195	399	600	591
22	204	76	294	200	402	620	598
23	206	78	296	205	406	640	605
24	208	80	298	210	409	660	611
25	210	82	300	215	413	680	618
26	212	84	301	220	416	700	624
27	214	86	303	225	419	750	639
28	216	88	305	230	423	800	654
29	218	90	307	235	426	850	668
30	220	92	309	240	429	900	681
31	222	94	310	245	432	950	694
32	224	96	312	250	435	1000	707
33	226	98	314	260	441	1100	731
34	228	100	316	270	447	1200	753
35	230	102	318	280	453	1300	775
36	232	104	320	290	458	1400	795
37	234	106	322	300	464	1500	815
38	236	108	324	310	469	2000	870
39	238	110	326	320	474	3000	980
40	240	112	329	330	480	4000	1090
41	242	114	331	340	485	5000	1200
42	244	116	333	350	490	Greater than 5000	Contact OMAFRA staff
43	246	118	335	360	494		
44	248	120	337	370	499		
45	250	122	339	380	504		

Table 3: Factor C (Orderly Expansion Factor)

In using Table 3 to determine Factor C, it may be necessary to interpolate a value for Factor C. For example, you determine the percentage increase at a *livestock facility* to be 155%. Table 3 provides a value for Factor C for a 150% increase, and for a 160% increase, but not for a 155% increase. The value of Factor C for a 150% increase is 0.9371 and the value of Factor C for a 160% increase is 0.9497. To determine Factor C for a 155% increase interpolate between the numbers 0.9371 and 0.9497. In this example, the value of Factor C for a 155% increase is 0.9434.

When interpolating a value for Factor C do not include more than four decimal places. Interpolated values with more than four decimal places should be rounded accordingly. For example, if an interpolated value for Factor C is calculated as 0.977643, then use a value of 0.9776 for Factor C in the MDS calculation.

For operations with a 0% increase, or a decrease, i.e. 'negative' percentage increase, use a value of 0.5000 for Factor C. Do not interpolate below a value of 0.5000. For operations with a 700% increase or greater, or for a *first livestock facility*, use a value of 1.1400 for Factor C. Do not interpolate above a value of 1.1400.

% Increase in Nutrient Units	Factor C	% Increase in Nutrient Units	Factor C	% Increase in Nutrient Units	Factor C
0% increase or decreases ('negative' increase)	0.5000	27%	0.6674	80%	0.8484
1%	0.5062	28%	0.6736	85%	0.8547
2%	0.5124	29%	0.6798	90%	0.8610
3%	0.5186	30%	0.6860	95%	0.8674
4%	0.5248	31%	0.6922	100%	0.8737
5%	0.5310	32%	0.6984	105%	0.8800
6%	0.5372	33%	0.7046	110%	0.8864
7%	0.5434	34%	0.7108	115%	0.8927
8%	0.5496	35%	0.7170	120%	0.8990
9%	0.5558	36%	0.7232	125%	0.9054
10%	0.5620	37%	0.7294	130%	0.9117
11%	0.5682	38%	0.7356	135%	0.9180
12%	0.5744	39%	0.7418	140%	0.9244
13%	0.5806	40%	0.7480	145%	0.9307
14%	0.5868	41%	0.7542	150%	0.9371
15%	0.5930	42%	0.7604	160%	0.9497
16%	0.5992	43%	0.7666	170%	0.9624
17%	0.6054	44%	0.7728	180%	0.9751
18%	0.6116	45%	0.7790	190%	0.9877
19%	0.6178	46%	0.7852	200%	1.0000
20%	0.6240	47%	0.7914	300%	1.0280
21%	0.6302	48%	0.7976	400%	1.0560
22%	0.6364	49%	0.8038	500%	1.0840
23%	0.6426	50%	0.8100	600%	1.1120
24%	0.6488	55%	0.8167	700% increase, or more, or First Livestock Facility on lot of record.	1.1400
25%	0.6550	60%	0.8230		
26%	0.6612	65%	0.8294		
		70%	0.8357		
		75%	0.8420		

Table 4: Factor E (Encroaching Land Use Factor)

Encroaching Land Use	Factor E
Type A Land Use	1.1
Type B Land Use	2.2

Encroachment of urban development



Table 5: Permanent Manure or Material Storage Types

Solid Manure: 18% dry matter, or more

Liquid Manure: Less than 18% dry matter

Digestate: Less than 18% dry matter

Storage Odour Potential	Solid or Liquid System	Inside or Outside Livestock Facility	Number referred to in Table 6 (View images in Appendix A)	Description of permanent manure storages being sited by MDS II, or encroached upon through MDS I application
Very Low	Solid	Inside	V1	Solid, inside, bedded pack (manure accumulates under <i>livestock</i> over time)
		Outside	V2	Solid, outside, covered (cover keeps off precipitation to prevent runoff)
			V3	Solid, outside, no cover, greater than or equal 30% dry matter (manure is dry enough that a flowpath option can be used for runoff control (<i>Nutrient Management Act, 2002</i>))
			V4	Solid, outside, no cover, 18% to less than 30% dry matter, with covered liquid runoff storage (manure not dry enough to soak up precipitation, so a liquid runoff storage needed, but it has a permanent, tight cover)
	Liquid	Inside	V5	Liquid, inside, underneath slatted floor (manure is stored under the animals in the barn)
		Outside	V6	Liquid, outside, with a permanent, tight fitting cover (negative pressure tarp, concrete lid, inflatable dome, etc.)
			V7	Liquid, (digestate), outside, no cover (all manure has been treated through anaerobic digestion, or a similar process that reduces odours)
	Solid	Outside	L1	Solid, outside, no cover, 18% to less than 30% dry matter, with uncovered liquid runoff storage (manure not dry enough to soak up precipitation, so a liquid Low runoff storage needed, but it is uncovered, producing more odour than in V4 above)
	Liquid	Outside	L2	Liquid, outside, with a permanent floating cover (tarps, foam panels, etc.)
Medium	Liquid	Outside	M1	Liquid, outside, no cover, straight-walled storage (usually circular or rectangular concrete, or steel storages)
			M2	Liquid, outside, roof, but with open sides (roof keeps off precipitation, but the open sides allow wind to travel over the manure and carry odours)
High	Liquid	Outside	H1	Liquid, outside, no cover, sloped-sided storage (earthen <i>manure storages</i> , but <u>not</u> earthen runoff storages associated with a solid manure storage which are L1 above)

Table 6: MDS I/II Separation Distances for Permanent Manure or Material Storage Types in Table 5

In using Table 6 (see page 51) to determine a value for 'S' – Storage Separation Distance, in some instances it may be necessary to interpolate a value.

For example, you determine the value for Encroachment Base Distance 'F' to be 106 metres. From Table 5, you have determined that the *livestock facility* uses a storage facility with an odour potential that is considered medium (M1).

Table 6 provides a value for Storage Separation Distance 'S' for an M1 Storage for an Encroachment Base Distance 'F' of 100 metres and for an Encroachment Base Distance 'F' of 110 metres, but not for an Encroachment Base Distance 'F' of 106 metres. The value of Storage Separation Distance 'S' for an M1 Storage with an Encroachment Base Distance 'F' of 100 metres, is 190 metres. The value of Storage Separation Distance 'S' for an M1 Storage with an Encroachment Base Distance 'F' of 110 metres, is 199 metres. To determine the value of Storage Separation Distance 'S' for an M1 Storage, with an Encroachment Base Distance 'F' of 106 metres interpolate between the numbers 190 and 199. In this example, the value of Storage Separation Distance 'S' for an M1 Storage, with an Encroachment Base Distance 'F' of 106 metres is 195.4 metres. This value should be rounded to the nearest whole number, in this case 195 metres.

When interpolating a value for Storage Separation Distance 'S' do not include any decimal places. Interpolated values with decimal places should be rounded accordingly. For example, if an interpolated value for Storage Separation Distance 'S' is calculated as 202.83 metres, then use a value of 203 metres for Storage Separation Distance 'S'.

In all instances, where Encroachment or Building Base Distance 'F' exceeds 1000 metres, then Storage Separation Distance 'S' will be the same value as 'F'.

Table 6: MDS I/II Separation Distances for Permanent Manure

Building Base Distance (m) for MDS II ('F'), or Encroachment Base Distance for MDS I ('F')	Storage Separation Distances Based on Relative Odour Potential - Storage Base Distance, 'S' (m)			
	Very Low Odour Storages V1 to V7	Low Odour Storages L1 to L2	Medium Odour Storages M1 to M2	High Odour Storages H1
40	40	64	136	232
50	50	74	145	240
60	60	84	154	248
70	70	93	163	256
80	80	103	172	264
90	90	113	181	272
100	100	123	190	280
110	110	132	199	288
120	120	142	208	296
130	130	152	217	304
140	140	162	226	312
150	150	171	235	320
160	160	181	244	328
170	170	191	253	336
180	180	201	262	344
190	190	210	271	352
200	200	220	280	360
210	210	230	289	368
220	220	240	298	376
230	230	249	307	384
240	240	259	316	392
250	250	269	325	400
260	260	279	334	408
270	270	288	343	416
280	280	298	352	424
290	290	308	361	432
300	300	318	370	440
310	310	327	379	448
320	320	337	388	456
330	330	347	397	464
340	340	357	406	472
350	350	366	415	480
360	360	376	424	488
370	370	386	433	496
380	380	396	442	504
390	390	405	451	512
400	400	415	460	520
420	420	435	478	536
440	440	454	496	552
460	460	474	514	568
480	480	493	532	584
500	500	513	550	600
600	600	610	640	680
800	800	805	820	840
1000	1000	1000	1000	1000
Greater than 1000 m	Storage Base Distance, 'S', should be the same as Building Base Distance or Encroachment Base Distance - 'F'			

APPENDIX C

Other Municipal By-Laws

This list identifies a number of By-laws related to planning and development; all are available for review at the Municipal Office located at 280 Main St. West, Callander and on the municipal website, mycallander.ca

This is not a complete list of municipal By-laws and By-laws may be amended from time to time. To ensure you reading the most up to date by-law please contact the municipal office

Development Charges By-law 2009-1170

Sign By-law 2000-760

Pool and Fencing By-law 2007-907

Property Standards By-law 2008-1099

Parkland Cash in lieu By-law 2010-1234

Building By-law 2008-1082

Planning Fees By-law 2008-1082